

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

Claims 1-48 (Canceled).

Claim 49 (Currently Amended): A biologically functional vector comprising a DNA ~~molecule comprising a~~ sequence comprising at least about 50 consecutive nucleotides of a sequence selected from the group consisting of

(A) a sequence according to ~~SEQ ID NO 1~~ SEQ ID NO: 1 with an open reading frame from base pair 211 to base pair 1740,

~~(B) a sequence which is at least 50% homologous with the sequence according to SEQ ID NO 1,~~ and

~~(C) a sequence which hybridizes with the sequence according to SEQ ID NO 1~~ SEQ ID NO: 1 under stringent conditions,

~~wherein said sequence (A), (B) and (C) codes for a plant protein having fucosyl transferase activity,~~

wherein said DNA ~~molecule~~ sequence is inversely ~~orientated~~ oriented with respect to a promoter.

Claim 50 (Currently Amended): A biologically functional vector comprising different length parts comprising at least 20 bases of a DNA ~~molecule comprising a~~ sequence selected from the group consisting of

(A) a sequence according to ~~SEQ ID NO 1~~ SEQ ID NO: 1 with an open reading frame from base pair 211 to base pair 1740,

~~(B) a sequence which is at least 50% homologous with the sequence according to SEQ ID NO 1, and~~

(C) a sequence which hybridizes with the sequence according to ~~SEQ ID NO 1~~ SEQ ID NO: 1 under stringent conditions,

~~wherein said sequence (A), (B) and (C) codes for a plant protein having fucosyl transferase activity,~~

wherein said DNA molecule ~~sequence~~ parts are inversely ~~orientated~~ oriented with respect to a promoter.

Claim 51 (Currently Amended): A DNA molecule coding for a ribozyme having two sequence sections,

wherein each sequence section has a length of at least 10 to 15 base pairs, and

is complementary to a ~~sequence~~ section of a DNA molecule ~~comprising a sequence~~ selected from the group consisting of

(A) a sequence according to ~~SEQ ID NO 1~~ SEQ ID NO: 1 with an open reading frame from base pair 211 to base pair 1740,

~~(B) a sequence which is at least 50% homologous with the sequence according to SEQ ID NO 1, and~~

(C) a sequence which hybridizes with the complement of the sequence according to SEQ ID NO 1 under stringent conditions,

~~wherein said sequence (A), (B) and (C) codes for a plant protein having fucosyl transferase activity, and~~

wherein said ribozyme complexes and cuts the mRNA transcribed by a natural GlcNAc- α 1,3-fucosyl transferase DNA molecule.

Claim 52 (Previously Presented): A biologically functional vector comprising said DNA molecule according to claim 51.

Claims 53-56 (Canceled)

Claim 57 (Currently Amended): A method of preparing recombinant hosts selected from the group consisting of host cells, plant cells, insect cells, plants and insects wherein the production of GlcNAc- α 1,3-fucosyl transferase is suppressed or inhibited, comprising

~~inserting into a recombinant host, a biologically functional vector which comprises~~
identifying a DNA sequence in a host that codes for a protein having fucosyl transferase activity, said sequence comprising a DNA molecule comprising a sequence
selected from the group consisting of

(A) a sequence according to ~~SEQ ID NO: 1~~ SEQ ID NO: 1 with an open reading frame from base pair 211 to base pair 1740,

(B) a sequence which is at least 50% homologous with the sequence according to SEQ ID NO 1, and

(C) a sequence which hybridizes with the sequence according to ~~SEQ ID NO: 1~~ SEQ ID NO: 1 under stringent conditions,

~~wherein said sequence (A), (B) and (C) codes for a plant protein having fucosyl transferase activity,~~

and inserting into said host a biologically functional vector comprising at least 20 bases of the identified DNA sequence wherein said DNA sequence is inversely oriented
~~orientated~~ with respect to a promoter.

Claim 58 (Currently Amended): A method of preparing recombinant hosts selected from the group consisting of host cells, plant cells, insect cells, plants and insects wherein the production of GlcNAc- α -1,3-fucosyl transferase is suppressed or inhibited, comprising

~~inserting into a recombinant host, a biologically functional vector which comprises parts of a DNA molecule comprising~~ identifying a DNA sequence in a host that codes for a protein having fucosyl transferase activity, said sequence comprising a sequence selected from the group consisting of

(A) a sequence according to ~~SEQ ID NO 1~~ SEQ ID NO: 1 with an open reading frame from base pair 211 to base pair 1740,

(B) a sequence which is at least 50% homologous with the sequence according to SEQ ID NO 1, and

(C) a sequence which hybridizes with the sequence according to ~~SEQ ID NO 1~~ SEQ ID NO: 1 under stringent conditions,

~~wherein said sequence (A), (B) and (C) codes for a plant protein having fucosyl transferase activity,~~

and, inserting into said host, a biologically functional vector which comprises parts of the identified DNA sequence said parts having at least 20 base pairs, wherein said DNA sequence is inversely ~~orientated~~ oriented with respect to a promoter.

Claim 59 (Canceled).

Claim 60 (Previously Presented): A method of preparing recombinant hosts selected from the group consisting of host cells, plant cells, insect cells, plant tissues, plants and insects wherein the production of GlcNAc- α -1,3-fucosyl transferase is suppressed or inhibited, comprising

inserting into a recombinant host, a biologically functional vector which comprises a DNA molecule according to claim 51.

Claim 61 (Currently Amended): A method of preparing recombinant hosts selected from the group consisting of host cells, plant cells, insect cells, plant tissues, plants and insects, comprising

~~inserting a DNA molecule into the genome of said host at the position of a non-mutated, homologous sequence, said DNA molecule comprising~~ identifying in the genome of a host, a non-mutated sequence that codes for a protein having fucosyl transferase activity wherein the non-mutated sequence comprises a sequence selected from the group consisting of

(A) a sequence according to ~~SEQ ID NO 1~~ SEQ ID NO: 1 with an open reading frame from base pair 211 to base pair 1740,

(B) a sequence which is at least 50% homologous with the sequence according to SEQ ID NO 1, and

(C) a sequence which hybridizes with the sequence according to ~~SEQ ID NO 1~~ SEQ ID NO: 1 under stringent conditions,

~~wherein said sequence (A), (B) and (C) codes for a plant protein having fucosyl transferase activity, and~~

inserting a homologous DNA molecule into the genome of said host at the position of said non-mutated sequence, said DNA molecule comprising all or part of said identified sequence except for having a deletion, insertion or substitution mutation.

Claim 62 (Previously Presented): A recombinant host prepared according to said method according to claim 60, wherein its GlcNAc- α 1,3-fucosyl transferase production is suppressed.

Claim 63 (Previously Presented): A recombinant host prepared according to said method according to claim 60, wherein its GlcNAc- α 1,3-fucosyl transferase production is completely inhibited.

Claims 64-75 (Canceled).

Claim 76 (Previously Presented): A method of producing recombinant glycoprotein, comprising

transfecting a recombinant host according to claim 62, with a gene that expresses said glycoprotein, and

expressing said recombinant glycoprotein.

Claim 77 (Previously Presented): A method of producing recombinant glycoprotein, comprising

transfecting a recombinant host according to claim 63, with a gene that expresses said glycoprotein, and

expressing said recombinant glycoprotein.

Claims 78-82 (Canceled).

Claim 83 (Previously Presented): A method of producing human recombinant glycoprotein, comprising
transfecting a recombinant host according to claim 62, with a gene that expresses said glycoprotein, and
expressing said recombinant glycoprotein.

Claim 84 (Previously Presented). A method of producing human recombinant glycoprotein, comprising
transfecting a recombinant host according to claim 63, with a gene that expresses said glycoprotein, and
expressing said recombinant glycoprotein.

Claims 85-107 (Canceled).

Claim 108 (Currently Amended): A recombinant host prepared according to ~~said method according to~~ claim 57, wherein its GlcNAc- α 1,3-fucosyl transferase production is suppressed.

Claim 109 (Currently Amended): A recombinant host prepared according to ~~said method according to~~ claim 57, wherein its GlcNAc- α 1,3-fucosyl transferase production is completely inhibited.

Claim 110 (Currently Amended): A recombinant host prepared according to ~~said method according to~~ claim 58, wherein its GlcNAc- α 1,3-fucosyl transferase production is suppressed.

Claim 111 (Currently Amended): A recombinant host prepared according to ~~said method according to~~ claim 58, wherein its GlcNAc- α 1,3-fucosyl transferase production is completely inhibited.

Claim 112 (Previously Presented): A method of producing recombinant glycoprotein, comprising
transfecting a recombinant host according to claim 108, with a gene that expresses said glycoprotein, and
expressing said recombinant glycoprotein.

Claim 113 (Previously Presented): A method of producing recombinant glycoprotein, comprising
transfecting a recombinant host according to claim 109, with a gene that expresses said glycoprotein, and
expressing said recombinant glycoprotein.

Claim 114 (Previously Presented): A method of producing recombinant glycoprotein, comprising

transfecting a recombinant host according to claim 110, with a gene that expresses said glycoprotein, and

expressing said recombinant glycoprotein.

Claim 115 (Previously Presented): A method of producing recombinant glycoprotein, comprising

transfecting a recombinant host according to claim 111, with a gene that expresses said glycoprotein, and

expressing said recombinant glycoprotein.

Claim 116 (Previously Presented): A method of producing human recombinant glycoprotein, comprising

transfecting a recombinant host according to claim 108, with a gene that expresses said glycoprotein, and

expressing said recombinant glycoprotein.

Claim 117 (Previously Presented): A method of producing human recombinant glycoprotein, comprising

transfecting a recombinant host according to claim 109, with a gene that expresses said glycoprotein, and

expressing said recombinant glycoprotein.

Claim 118 (Previously Presented): A method of producing human recombinant glycoprotein, comprising
transfecting a recombinant host according to claim 110, with a gene that expresses said glycoprotein, and
expressing said recombinant glycoprotein.

Claim 119 (Previously Presented): A method of producing human recombinant glycoprotein, comprising
transfecting a recombinant host according to claim 111, with a gene that expresses said glycoprotein, and
expressing said recombinant glycoprotein.